



PROTOCOL[®] RV Antifreeze

A SUPERIOR PRODUCT FOR SEASONAL COLD STORAGE PROTECTION

Product Description

PROTOCOL RV Antifreeze is formulated with Propylene Glycol and inorganic inhibitors for corrosion and burst protection to -50°F.

PROTOCOL RV Antifreeze is commonly used for winterizing the potable water and plumbing systems in recreational vehicles. Other applications include boats, vacation homes, swimming pools, and a variety of others that require seasonal cold storage protection.

PROTOCOL RV & MARINE ANTIFREEZE is a *non-toxic* coolant formulated to protect humans and pets against the possibility of incidental contact with the product.

PROTOCOL RV & MARINE ANTIFREEZE is available in a concentrate version or preblended with *deionized water* to meet your specification for burst and/or freeze point depression.

PROTOCOL RV & MARINE ANTIFREEZE has little or no negative effect on the seals or elastomers commonly found in most systems, and is safe to use with XLPE (polyethylene cross-linked), ABS (acrylonitrile-butadiene-styrene), PVC (polyvinyl chloride), Buna N, Viton, EPDM, or other elastomers typically used in water service applications. However, we do not recommend using this product in systems constructed of CPVC (chlorinated polyvinyl chloride). Chemical resistance data warns against the use of glycol based coolants with CPVC because it could weaken CPVC material and lead to stress cracks or premature failure.

"Performance products of unparalleled quality and value" SM

Product Application

Only qualified individuals should recommend and approve a product for your application. Prior to using PROTOCOL RV ANTIFREEZE, be sure to review your owner's manual or speak with a manufacturer's technical representative to confirm the specific storage procedures and product requirements for your application.

PROTOCOL RV ANTIFREEZE is compatible with most lines and fittings found in modern recreational vehicles, boats, vacation homes, swimming pools and other open and closed loop systems. However, this product is not recommended for use in systems containing galvanized steel, unless etching of the zinc or magnesium based coatings is acceptable.

CAUTION: Automotive type antifreeze solutions are not properly formulated for seasonal cold storage applications. In addition, commercial type antifreeze solutions that use methanol or ethylene glycol, in whole or part, can be hazardous to the environment and highly toxic to humans, pets, and aquatic life.

To learn more about PROTOCOL RV ANTIFREEZE or other products manufactured by Thermal Fluid Technologies Inc., please contact our Technical Sales Department Team.

Thermal Fluid Technologies Inc.
452 Lakeshore Parkway
Rock Hill, SC 29730

- (803) 324-7150
- sales@protocolHTFS.com
- www.thermalfuidtechnologies.com